

CHAINLESS **BALE FEEDER**



**Feed Faster
with**

TUBE-LINE™
MANUFACTURING LTD



CHAINLESS BALE FEEDER



• **Dual Prong Hydraulic Bale Lift**

This patented system makes loading fast, easy and ensures the bale is always in constant control

• **Bale Lift Position Gauge**

Indicates lift height for spearing different sized bales in the centre

• **Varying Speed Rotors**

The top rotor turns 3 times faster, fluffing the hay as the bale unravels

• **Hydraulic Bale Platform**

The platform safely keeps the bale tight against the rotors without the use of chains - avoiding potential mechanical breakdowns



Bale feeding made easy

Round bales have significantly reduced the amount of work it takes to handle hay. However, feeding has still been a labour intensive job — until now. The Tubeline Chainless Bale Feeder takes the hassle out of feeding large round bales. Its chainless operation provides safer, more consistent operation, keeping the bale in control with less maintenance required. Using the BF5000 can reduce spoilage

caused by bales sitting outside in bulky inefficient stationary units.

Handling the bales is safe and easy with the built-in hydraulic bale loader. This safe loading system allows you to easily load the first bale onto the feeder tray then spear a second for more feeding with fewer trips and less maneuvering.

The Tubeline Chainless Bale Feeder works as well in the field as it does in the barn, allowing you more freedom to decide when and where to feed your livestock while saving you time. Talk to your Tubeline dealer for details.



The right connection for fenceline feeding

Tubeline's 3-point hitch unit feeds out bales as smooth as the original - without the need of a trailer.

The 3PH is a more compact unit that still lets operators load and feed bales using the same machine. The innovative design allows the 3PH to easily separate into 2 distinct sections as you go.

When disconnected, the 3PH provides a two-prong spear for quick loading onto the stationary bale tray.

After the bale is loaded, the spears slide back into the frame, creating a sturdy single-unit that's ready for feeding.

All the hydraulics are part of the spear unit, allowing the two pieces to disconnect with a single latch. Transferring hydraulic power to the rotors and bale tray occur through a unique jaw coupler and pin system.

The 3PH model is also available with a front-end loader mount, keeping the activity in front of the tractor.

BF5000 3PH
Three Point
Hitch Model



JAW COUPLER – automatically connects the feeding rotors with the hydraulic drive mounted on spear unit.



HYDRAULIC TRAY LIFT – attaches and disconnects without any hassle.



After loading the bale, the spear unit attaches by sliding into the frame, creating a single carrying unit.



BALE BUMPER
 Optional bolt-on attachment improves bale control, reducing risk of bale jumping out of the tray.



BF5000 S
 Stationary Model



Reprocess bales efficiently

If you need small squares but want the efficiency of baling large rounds, Tubeline offers a stationary model ideal for custom baling operations.

Take your crop off quickly, then when the weather turns gray, reprocess the hay into small bales which are then ready for delivery.

Chainless Bale Feeder Specifications



	BF5000 SL	BF5000 3PH	BF5000 S
For use with	Hay, Straw, Baleage, Silage	Hay, Straw, Baleage, Silage	Hay, Straw, Baleage, Silage
Capacity	4,000lbs (1800kg)	4,000lbs (1800kg)	4,000lbs (1800kg)
Size - Width	100"	100"	100"
- Length	200"	84"	90"
Weight	2000lbs (900kg)	2000lbs (900kg)	1500lbs (680kg)
Power requirement	40hp	85hp	40hp
Minimum pressure	2000psi	2000psi	2000psi



AUTHORIZED DEALER

Tubeline Manufacturing Inc.

3928 Steffler Road RR #4 Elmira, ON N3B 2Z3

Tel. (519) 664-0488 Fax: (519) 664-0492

Toll Free: (888) 856-6613

sales@tubeline.ca www.tubeline.ca