



PLUG AERATOR

MODELS FROM 3 FT. TO 8 FT. WIDE 3 PT. LIFT AND TRAIL TYPE HITCH



MODEL PA 48T

- ★ Less Compaction
- ★ 3" Depth
- ★ 5/8" Diameter Plug
- ★ Fill Plug on Drum for Additional Weight
- ★ Heat Treated Tines
- ★ Sturdy Construction

SPECIFICATIONS

MODEL	WIDTH	DIA.	HITCH	EMPTY WEIGHT	FULL WEIGHT
PA-36T	3 FT	22"	TRAIL	121#	147#
PA-36F	3 FT	22"	3 PT	153#	179#
PA-48T	4 FT	22"	TRAIL	147#	181#
PA-48F	4 FT	22"	3 PT	184#	218#
PA-60T	5 FT	22"	TRAIL	176#	219#
PA-60F	5 FT	22"	3 PT	213#	256#
PA-72T	6 FT	22"	TRAIL	320#	371#
PA-72F	6 FT	22"	3 PT	325#	376#
PA-84T	7 FT	22"	TRAIL	375#	435#
PA-84F	7 FT	22"	3 PT	380#	440#
PA-96T	8 FT	22"	TRAIL	430#	498#
PA-96F	8 FT	22"	3 PT	435#	503#

AVAILABLE WITH CATEGORY "O" HITCH



MODEL PA 72F

**Special Equipment
For
Small Tractors**

by *Ferguson*


**RUGGED BUILT
LAWN AERATORS**

FOR HOME AND COMMERCIAL USE

Available with Category I or II, 3-point hitch or as pull type.

Features fill and drain plug and weight rack for additional penetration if required.

Welded spikes instead of round pegs allow more aggressive penetration causing better water absorption and provides loose soil for reseeding.



Model No. AR-60T Trail Type

SPECIFICATIONS


MODEL	WIDTH	DIAMETER	HITCH	WEIGHT
AR-30M	30"	20"	Hand Pull	165 LBS.
AR-30T	30"	20"	Tractor Pull	125 LBS.
AR-36F	36"	20"	3PT. Cat "0" or I	190 LBS.
AR-36M	36"	20"	Hand Pull	180 LBS.
AR-36T	36"	20"	Tractor Trail	135 LBS.
AR-48F	48"	20"	3PT. Cat "0" or I	200 LBS.
AR-48T	48"	20"	Trail	185 LBS.
AR-60F	60"	20"	3PT. Cat "0" or I	235 LBS.
AR-60T	60"	20"	Trail	200 LBS.
AR-72F	72"	20"	3PT.(H.D. Frame)	300 LBS.
AR-72T	72"	20"	Trail.(H.D. Frame)	300 LBS.
AR-84F	84"	20"	3PT.(H.D. Frame)	355 LBS.
AR-84T	84"	20"	Trail.(H.D. Frame)	355 LBS.
AR-96F	96"	20"	3PT.(H.D. Frame)	430 LBS.
AR-96T	96"	20"	Trail.(H.D. Frame)	430 LBS.

Ferguson "YARDMAKER"

AERATE - SEED - FERTILIZE

**SIX
NEW**

**HEAVY DUTY MODELS
FOR LANDSCAPERS
AND
COMMERCIAL OPERATORS**



(8ft. 3 PT Lift)
Model No. AR-96F-SF
FERGUSON YARDMAKER

Recommended For:

LARGE LAWNS, PARKS, RECREATION FIELDS, AND OTHER
OPERATIONS, INCLUDING PASTURE RENOVATION AND RESEEDING

AVAILABLE AS AERATOR OR PLAIN ROLLER

3 point hitch or trail type

FERGUSON YARDMAKER SPECIFICATIONS					
MODEL	HITCH	DIAMETER	WEIGHT	LIQUID CAPACITY	SEED HOPPER
AR-36T-SF	Trail	20"	165	28 gal.	1 cu.ft.
AR-36F-SF	3-PT	20"	225	28 gal.	1 cu.ft.
AR-48T-SF	Trail	20"	205	37 gal.	1.5 cu.ft.
AR-48F-SF	3-PT	20"	275	37 gal.	1.5 cu.ft.
AR-60T-SF	Trail	20"	240	48 gal.	1.75 cu.ft.
AR-60F-SF	3-PT	20"	315	48 gal.	1.75 cu.ft.
AR-72T-SF	Trail	20"	375	56 gal.	2.8 cu.ft.
AR-72F-SF	3-PT	20"	395	56 gal.	2.8 cu.ft.
AR-84T-SF	Trail	20"	445	65 gal.	3.2 cu.ft.
AR-84F-SF	3-PT	20"	465	65 gal.	3.2 cu.ft.
AR-96T-SF	Trail	20"	510	74 gal.	3.8 cu.ft.
AR-96F-SF	3-PT	20"	530	74 gal.	3.8 cu.ft.

- ROLLER CHAIN DRIVE
- SEALED BALL BEARINGS
- HEAVY DUTY CONSTRUCTION
- ON - OFF LEVER
- ADJUSTABLE FEED GATE
- FORCED FEED
- FILL PLUG




“YARDMAKER”

NOW with

DETHATCHING ATTACHMENT

allows
Aerating
Dethatching
Over-seeding
 or
Fertilizing
 in once-over
 operation




- ★ Fill Plug ★ Forced Feed ★ Roller Chain Drive
- ★ On-Off Lever ★ Sealed Ball Bearings
- ★ Adjustable Feed Gate ★ Heavy Duty Construction

For Home and Commercial Use

Spring-loaded tines allow vigorous and effective loosening of bedded thatch cover

YARD-MAKER/DETHATCHER SPECIFICATIONS						
MODEL	HITCH	WIDTH	DIAMETER	WEIGHT	LIQUID CAPACITY	SEED HOPPER
DS-36F	3-PT	36"	20"	192	28 gal.	1 cu.ft.
DS-36T	Trail	36"	20"	252	28 gal.	1 cu.ft.
DS-48F	3-PT	48"	20"	305	37 gal.	1.5 cu.ft.
DS-48T	Trail	48"	20"	235	37 gal.	1.5 cu.ft.
DS-60F	3-PT	60"	20"	373	48 gal.	1.75 cu.ft.
DS-60T	Trail	60"	20"	348	48 gal.	1.75 cu.ft.
DS-72F	3-PT	72"	20"	435	56 gal.	2.8 cu.ft.
DS-72T	Trail	72"	20"	415	56 gal.	2.8 cu.ft.
DS-84F	3-PT	84"	20"	510	65 gal.	3.2 cu.ft.
DS-84T	Trail	84"	20"	495	65 gal.	3.2 cu.ft.
DS-96F	3-PT	96"	20"	580	74 gal.	3.8 cu.ft.
DS-96T	Trail	96"	20"	560	74 gal.	3.8 cu.ft.



THE FERGUSON MANUFACTURING CO., INC. • P. O. BOX 1098 • SUFFOLK, VA 23439-1098, U.S.A.
 AREA CODE 757 PHONE 539-3409 FAX 757/934-3612 E-mail: fermfgsu@nettek.net